

From: [Crawford, Beth](#)
To: [Gregg, Diane](#)
Cc: [Moore, Gary](#)
Subject: 4048-PT3
Date: Monday, April 20, 2015 3:19:34 PM
Attachments: [removed.txt](#)

Diane,

Based on our phone conversation today we are interested in having you run TCLP SVOC analysis on sample 4048-PT3. Currently I have five parameters we are carrying waste codes on due to MDL's. Those compounds are as follows: 1,4-Dichlorobenzene, Hexachloroethane, Hexachlorobutadiene, Nitrobenzene and 2,4,6-Trichlorophenol. If we can prove these compounds are not there above regulatory levels I can ship this waste as non-hazardous. Please double check with your staff and let Gary and myself know if this is a service you think you can provide for us and the timeframe in which it would take to get it done. Once we have that information Gary and I can make a decision on how to proceed. Thanks for calling me back so quickly, much appreciated.

Thanks again,



Beth Crawford

Scientist

Applied Science & Engineering

Federal Services

Direct: +1 419 429 5519

Fax: +1 419 425 6085

Beth.Crawford@CBIfederalservices.com

Please Note New Phone Number

CB&I

16380 U.S. Route 224 East Suite 100

Findlay, OH 45840

United States of America

www.CBI.com

This e-mail and any attached files may contain CB&I Federal Services LLC (or its affiliates) confidential and privileged information. This information is protected by law and/or agreements between CB&I Federal Services LLC (or its affiliates) and either you, your employer or any contract provider with which you or your employer are associated. If you are not an intended recipient, please contact the sender by reply e-mail and delete all copies of this e-mail; further, you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.

***** ATTACHMENT REMOVED

This message contained an attachment which the administrator has caused to be removed.

***** ATTACHMENT REMOVED

Attachment name: [image001.jpg]
Attachment type: [image/jpeg]